

<b>Notice of Allowability</b>	Application No.	Applicant(s)	
	10/773,841	MEYER, GARY	
	Examiner	Art Unit	
	Jonathan Salata	2837	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--  
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to application filed 2-5-04.
2. ☒ The allowed claim(s) is/are 1-26.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |  |  |
|--|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date <u>2-5-04</u> | 7. <input type="checkbox"/> Examiner's Amendment/Comment                               |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material                             | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|  | 9. <input type="checkbox"/> Other _____.   |

Art Unit: 2837



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY AND COMMISSIONER OF PATENTS AND  
TRADEMARKS  
Washington, D.C. 20231

Paper No:20060803  
Application No:10/773841  
Filing Date: February 5,2004

1. Claims 1-26 are allowed.
2. The following is an examiner's statement of reasons for allowance: The limitations of an elevator hall or button fixture which is snap-fit and such that a wall plate is snap fit coupled to a bezel and a fixture is snap fit coupled to the bezel as well as the use of additional bezels and fixtures is not taught or reasonably suggested by the cited art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Lind et al., Troyen, barmet, Felder et al., Estallo and Warner et al are cited to illustrate similar elevator hall/button fixtures but do not illustrate a snap fit bezel and wall plate and fixture combination.

Art Unit: 2837

A shortened statutory period for response to this action is set to expire 3 months from the date of this letter.

Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Any inquiry of a **general nature** should be directed to the **Group receptionist whose telephone number is (571) 272-2800**.

**Information regarding the STATUS of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or public PARI. Status information for unpublished applications is available through Private PAIR ONLY. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Any questions on access to PAIR, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).**

Papers related to this application may be submitted to Group 2800 by facsimile transmission. Papers should be faxed to Group 2800 via the PTO 2800 Fax Center. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989). The Fax Center number is (571) 273-8300.

For assistance in **Patent procedure, fees or general Patent questions** calls should be directed to the **Inventors Assistance Center (IAC) whose telephone number is 800-PTO-9199 or 800-786-9199**. Assistance is also available on the Internet at [www.uspto.gov](http://www.uspto.gov).

**For requesting copies of Cited Art, Office Actions or the like, response to Status Letters, lost papers or files or General Problem solving, calls should be directed to the TC 2800 Customer Service Office whose telephone number is 571-272-2800 or by fax at 571-273-8300.**

Any inquiry concerning **this communication or earlier communications from the examiner** should be directed to **Jonathan Salata whose telephone number is (571) 272-2073**. The examiner does not have as detailed access as the previously listed numbers with regard to status or general problem solving. The examiner can normally be reached on Monday through Thursday from 7:30 am to 2:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula Bradley, can be reached on (571) 272-2800 ext 33.

ajs

August 3, 2006

  
JONATHAN SALATA  
PRIMARY EXAMINER  
ART UNIT 2837